| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 0 | ((gateway or router or hub or sattelite$1)same audio near2 servers same protocol same subcribers) and @ad<="19980623" | USPAT | OR | OFF | 2006/01/20 13:48 |
| L2 | 0 | ((gateway or router or hub or sattelite$1)same audio near2 servers same protocol same subcribers) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:48 |
| L3 | 0 | ((gateway or router or hub or sattelite$1)same media near2 servers same protocol same subcribers) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:48 |
| L4 | 0 | ((gateway or router or hub or sattelite$1)same media with servers same protocol same subcribers) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:48 |
| L5 | 68 | ((gateway or router or hub or sattelite$1)same media with servers same protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:49 |
| L6 | 0 | ((gateway or router or hub or sattelite$1)same media with servers same translat$4 near2 protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:49 |
| L7 | 10 | ((gateway or router or hub or sattelite$1)same media with servers same translat$4 with protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:55 |
| L8 | 0 | ((gateway or router or hub or sattelite$1)same audio near2 servers same translat$4 with protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:55 |

| L9 | 0 | ((gateway or router or hub or sattelite$1)same audio with servers same translat$4 with protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:56 |
|---|---|---|---|---|---|---|
| L10 | 4132 | ((gateway or router or hub or sattelite$1)same audio translat$4 with protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 13:56 |
| L11 | 0 | ((gateway or router or hub or sattelite$1)same audio with boardcast$3 with translat$4 with protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 14:14 |
| L12 | 1 | ("CORBA IIOP" with translat$4 with protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 14:16 |
| L13 | 1 | (CORBA near1 IIOP with translat$4 with protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 14:36 |
| L14 | 0 | (oversize with protocols with list ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 16:22 |
| L15 | 112 | (encryption with request$4 with servers ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 16:22 |
| L16 | 73 | (encryption with request$4 with servers and protocols ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/20 16:23 |
| S1 | 1 | ("6330598").PN. | USPAT; USOCR | OR | OFF | 2006/01/18 11:10 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S2 | 5 | "709"/$.ccls. and (translat$4 and protocols).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/18 11:10 |
| S3 | 40 | "709"/$.ccls. and (translat$4 and protocols).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 11:29 |
| S4 | 1 | "709"/$.ccls. and (translat$4 with protocols) and (classif$4 near2 request$3) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 13:46 |
| S5 | 4 | "709"/$.ccls. and (translat$4 with protocols) and (classif$4 with request$3) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 11:53 |
| S6 | 6 | "709"/$.ccls. and (multipl$3 near2 networks) and (classif$4 with request$3) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 11:57 |
| S7 | 13 | "709"/$.ccls. and (plurality$3 near2 networks) and (classif$4 with request$3) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 11:57 |
| S8 | 25 | "709"/$.ccls. and (translat$4 with protocols) and (identical with protocol) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 13:54 |
| S9 | 15 | (translat$4 with protocols) same (identical with protocol) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 14:19 |
| S10 | 1 | ("6058115").PN. | USPAT; USOCR | OR | OFF | 2006/01/18 14:31 |

| S11 | 357 | translat$4 and (priorit$ with protocol$41) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 14:32 |
|-----|-----|-----|-----|-----|-----|-----|
| S12 | 357 | translat$4 and (priorit$ with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 14:32 |
| S13 | 71 | "709"/.ccls. and translat$4 and (priorit$ with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 14:33 |
| S14 | 19 | "709"/.ccls. and (translat$4 with protocol$1) and (priorit$ with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 14:34 |
| S15 | 1 | "709"/.ccls. and (translat$4 with protocol$1) and (priorit$ with list$1 with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 15:16 |
| S16 | 4 | "709"/.ccls. and (priorit$ with list$1 with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 15:28 |
| S17 | 13 | (priorit$ with list$1 with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:09 |
| S18 | 2 | ( updat$3 with priorit$ with list$1 with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:25 |

| S19 | 35 | internet and (updat$3 with list$1 with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:29 |
|---|---|---|---|---|---|---|
| S20 | 4 | internet and (new near1 connection) and (updat$3 with list$1 with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:34 |
| S21 | 0 | internet and updat$4 with (new near1 connection) same (list$1 with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:34 |
| S22 | 1 | internet and (new near1 connection) same (list$1 with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:42 |
| S23 | 2 | internet and (new near1 connection) same (library with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:43 |
| S24 | 407 | internet and (updat$3 near1 connection library with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:43 |
| S25 | 159 | "709"/$.ccls. and internet and (updat$3 near1 connection library with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 17:51 |
| S26 | 158 | "709"/$.ccls. and internet and (updat$3 near1 profile$1 library with protocol$4) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:02 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S27 | 16639598 | "709"/$.ccls. and internet and (user near1 request$1) and (updat$3 with list with new) @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:03 |
| S28 | 26 | "709"/$.ccls. and internet and (user near1 request$1) and (updat$3 with list with new) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:04 |
| S29 | 0 | "709"/$.ccls. and internet and (user near1 request$1) and (updat$3 with list with protocol$1 with new) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:04 |
| S30 | 0 | "709"/$.ccls. and internet and (user near1 request$1) and (updat$3 with list with priorit$4 with new) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:04 |
| S31 | 1 | "709"/$.ccls. and internet and (user near1 request$1) and (updat$3 with list with previous$4 with new) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:05 |
| S32 | 4 | "709"/$.ccls. and internet and (user near1 request$1) and (updat$3 with new near1 session) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:13 |
| S33 | 147 | "709"/$.ccls. and (send$4 with user near1 request$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:13 |
| S34 | 1 | "709"/$.ccls. and (send$4 with user near1 request$1) with (plurality near2 servers) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:14 |

| S35 | 0 | "709"/$.ccls. and (send$4 with user near1 request$1) with (plurality near2 vendor$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:14 |
|-----|-----|-----|-----|-----|-----|-----|
| S36 | 6 | "709"/$.ccls. and (send$4 with user near1 request$1) with (plurality ) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:17 |
| S37 | 4 | "709"/$.ccls. and (user near1 request$1) with (plurality with services) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:23 |
| S38 | 1 | ("6,061,714").PN. | USPAT; USOCR | OR | OFF | 2006/01/18 18:24 |
| S39 | 0 | ("20010032254").PN. | USPAT; USOCR | OR | OFF | 2006/01/18 18:24 |
| S40 | 1 | ("20010032254").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/01/18 18:24 |
| S41 | 4657 | (service near2 request$4) and translat$4 and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:25 |
| S42 | 192 | (service near2 request$4) and (translat$4 near1 protocol$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:26 |
| S43 | 12 | (service near2 request$4) and (translat$4 near1 protocol$1) and (select$3 near1 destination$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:34 |
| S44 | 3 | (service near2 message$4) and (translat$4 near1 protocol$1) and (select$3 near1 destination$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:35 |

| S45 | 8 | (receiv$3 near2 message$4) and (translat$4 near1 protocol$1) and (select$3 near1 destination$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:39 |
|-----|-----|------|------|-----|-----|------|
| S46 | 14 | (service$4 with request$3) and (translat$4 near1 protocol$1) and (select$3 near1 destination$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:41 |
| S47 | 20 | (service$4 with request$3) and (translat$4 near1 protocol$1) and (select$3 with service$1 near2 provider$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:43 |
| S48 | 0 | (service$4 with request$3) and (updat$3 with translat$4 near1 protocol$1) and (select$3 with service$1 near2 provider$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:43 |
| S49 | 1 | (service$4 with request$3) and (updat$3 same translat$4 near1 protocol$1) and (select$3 with service$1 near2 provider$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:45 |
| S50 | 3 | (service$4 with request$3) and (updat$3 same translat$4 near1 protocol$1) and (service$1 near2 provider$1) and @ad<="19980623" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/18 18:50 |
| S51 | 1 | ("6243815").PN. | USPAT; USOCR | OR | OFF | 2006/01/18 18:50 |
| S52 | 1 | ("5881234").PN. | USPAT; USOCR | OR | OFF | 2006/01/18 19:09 |
| S53 | 0 | ("20020055995").PN. | USPAT; USOCR | OR | OFF | 2006/01/18 19:10 |
| S54 | 1 | ("20020055995").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/01/18 19:10 |
| S55 | 1 | ("6058115").PN. | USPAT; USOCR | OR | OFF | 2006/01/20 12:02 |
| S56 | 272 | ((gateway or router or hub) with remov$3 with (protocol or connection)) and @ad<="19980623" | USPAT | OR | OFF | 2006/01/20 12:05 |

| S57 | 5 | ((gateway or router or hub) with remov$3 with ((translat$4 near2 protocol) )) and @ad<="19980623" | USPAT | OR | OFF | 2006/01/20 12:09 |
| S58 | 1 | ((gateway or router or hub) with discard$3 with ((translat$4 near2 protocol) )) and @ad<="19980623" | USPAT | OR | OFF | 2006/01/20 12:09 |
| S59 | 11 | ((gateway or router or hub) with discard$3 with (( protocol) )) and @ad<="19980623" | USPAT | OR | OFF | 2006/01/20 13:38 |